COLORTEC ACCENT

COLOR & DESIGN INSPIRATION



Timeless elegance

At Hammer Carpets, we fit cruise ships and five star hotels all over the world. Tailored to enhance high-level aesthetics and comforts, our textile floorings beautifully define expressive as well as subtle interior decorations.

Established in 1948, we draw on a solid experience when converging outstanding craftsmanship and cutting-edge technology in our carpet design and production. Swearing by the finest pre-dyed 80/20 wool/nylon quality, we proudly dispatch every single high-quality item from our Danish factory.

With Colortec Accent, we bring to you a most delicate construction. Diverse twisted yarns create elegant disruptions, movement and shadow effects in the plush flooring surface. When it comes to patterns and colors, you literally have all options at hand. So, feel inspired from the luxurious settings in the brochure that shows you only a small glimpse of your endless possibilities.



Bespoke design

Colortec Accent allows any carpet pattern to materialize

From opulently majestic to soft organic or strictly minimalist expressions, we create entirely customized patterns suiting the particular requirements of your marine or hospitality project. Each bespoke request is different and so is our approach. While meeting your brief, our design team is your guarantee that our high standards of craftsmanship and comfort are always maintained.





All colors possible

With Colortec Accent, your color choice is completely free and unlimited

Whether inspired from a piece of vintage fabric, a Pantone chart or yet undecided, we can meet your color requests. In reality, you can choose from thousands of shades and we can match any sample you bring us. Combine as many as eight colors in your carpet design with a mix of contrasting hues creating a vivid expression or tone on tone shades making up a more balanced look.





Colortec Accent 14769,5947 P




Colortec Accent 9894,5947 Q



Colortec Accent 13859,5947 R









 Design:
 14955,5947 T

 Size/Repeat:
 100 x 94 cm

 Colors:
 2 colors



 Design:
 14774,5947 W

 Size/Repeat:
 200 x 130 cm

 Colors:
 3 colors







 Design:
 13995,5947 U

 Size/Repeat:
 100 x 80 cm

 Colors:
 2 colors



 Design:
 9894,5947 Q

 Size/Repeat:
 100 x 109 cm

 Colors:
 2 colors







 Design:
 13859,5947 R

 Size/Repeat:
 100 x 140 cm

 Colors:
 2 colors



 Design:
 10302,5947 X

 Size/Repeat:
 100 x 74 cm

 Colors:
 3 colors







 Design:
 14775,5947 S

 Size/Repeat:
 400 x 265 cm

 Colors:
 4 colors



 Design:
 14769,5947 P

 Size/Repeat:
 133.3 x 100 cm

 Colors:
 5 colors







 Design:
 9945,5947 Y

 Size/Repeat:
 200 x 256 cm

 Colors:
 3 colors




 Design:
 14957,5947 Z

 Size/Repeat:
 133.3 x 100 cm

 Colors:
 4 colors







Visualization through realistic carpet prototypes and paper prints eases your decision making process.

Visualization and wool

To ensure the best possible choice, we supply samples before bringing your unique carpet to life

Throughout the process, we create samples of the proposed design. A small prototype in real materials allows you to feel the exquisite yarn, evaluate the pattern details and sense the impressive color combinations. In addition, a large paper print is supplied to visualize the pattern scale while also giving a realistic impression of the look in full.

Once your design solution has been reached, we turn it into reality. Using only the finest 80/20 wool/nylon yarn, we fit your interior project with a high quality carpet featuring an extremely soft touch and high comfort. The natural lanoline in wool ensures a long lasting natural carpet with a superior look and feel.



Technical specifications

Product	Method	1100	1300	1500	1800
Structure	ISO 2424	Colortec Tufted Cut Pile			
Gauge	ISO 2424	1/7"	1/7"	1/7"	1/7"
Pile Material		80% Wool / 20% Nylon			
Dyeing		Pre-dyed	Pre-dyed	Pre-dyed	Pre-dyed
Backing	hctl	Laminated Textile Backing (LTB) Laminated Felt Backing (LFB)			
Dimensions	ISO 3018	400/500 cm	400/500 cm	400/500 cm	400/500 cm
Pile Height	ISO 1766	7.5 mm	7.5 mm	7.5 mm	7.5 mm
Total Height	ISO 1765	9 mm (LTB) 13.5 mm (LFB)			
Pile Weight	ISO 8543	1100 g/m²	1300 g/m²	1500 g/m²	1800 g/m²
Total Weight	ISO 8543	1700 g/m² (LTB) 2020 g/m² (LFB)	1880 g/m² (LTB) 2200 g/m² (LFB)	2060 g/m² (LTB) 2370 g/m² (LFB)	2330 g/m² (LTB) 2640 g/m² (LFB)
No. of Colors		1 to 8	1 to 8	1 to 8	1 to 8
Tuft Density	ISO 1763	88320 per m²	104328 per m²	128744 per m²	131376 per m²
Suitability (use intensity)	EN 1307	32 General Use	32 General Use	33 Heavy Use	33 Heavy Use
Static Control	hctl	Permanent Antistatic	Permanent Antistatic	Permanent Antistatic	Permanent Antistatic
Suitable for Stairs	EN 1963	No	Yes	Yes	Yes
Suitable for Castor Chairs	EN 985	No	No	No	No
Colorfastness to Light	ISO 105-B02	5 (pastel shade 4)			
Colorfastness to Wet	ISO 105-X12	3	3	3	3
Colorfastness to Dry	ISO 105-X12	3-4	3-4	3-4	3-4
Guarantee against Wear	hctl	5 Years	5 Years	5 Years	5 Years
Fire Classification	EN 13501-1 IMO (USCG) 🛞	Cfl - S1 Certified	Cfl - S1 Certified	Cfl - S1 Certified	Cfl - S1 Certified
EC Standard	EN 14041	Certified	Certified	Certified	Certified



Hammer Tæpper A/S | Industrivej Syd 17-19, Birk | DK-7400 Herning Tel +45 96 27 00 00 | Fax +45 96 27 00 01 hammer@hammercarpets.com | www.hammercarpets.com